AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application

Listing of the Claims

- (currently amended) A viscoelastic composition comprising water, 0.6%w/v to 4%w/v of hyaluronic acid or a salt thereof and 0.1% w/v to 2% w/v of hydroxypropylmethyl cellulose, wherein the viscoelastic composition has a pseudoplasticity index from 160 to 5000, and a weight ratio of hydroxypropylmethylcellulose to hyaluronic acid or a salt thereof from 0.1 to 1.
- (previously presented) The composition of claim 1, wherein the average molecular weight of the hyaluronic acid or a salt thereof is a minimum of about 500kD and a maximum of about 3000kD.
- (Original) The composition of claim 1, wherein the average molecular weight of the hydroxypropylmethyl cellulose is a minimum of about 10kD and a maximum of about 120kD.
 - 4. 5. (Canceled)
- (Original) The composition of claim 1, wherein the osmolality of the viscoelastic composition is a minimum of about 200mOsmol/Kg and a maximum of about 400mOsmol/Kg.
- 7. (Original) The composition of claim 1, wherein the zero-shear viscosity of the viscoelastic composition is a minimum of about $6x10^4$ cps and a maximum of about $4x10^6$ cps.
- 8. (Original) The composition of claim 1, wherein the medium-shear viscosity of the viscoelastic composition is a minimum of about 10000 cps and a maximum of about 30000 cps.

2

- (Original) The composition of claim 1, wherein the high-shear viscosity of the viscoelastic composition is a minimum of about 500 cps and a maximum of about 2000 cps.
- 10. (previously presented) The composition of claim 1, wherein the viscoelastic composition has crossover frequency of 0.1 or less.
- 11. (previously presented) The composition of claim 1, wherein the viscoelastic composition further comprises a chemical scavenger selected from the group consisting of tris[hydroxymethyl] aminomethane, polyols, glutatione, ascorbate, vitamin E, BHA, BHT, propyl gallate, β-carotene, trolox, metabisulfite, flavonoids, sodium formate, thiourea, carbohydrates, 2-mercaptoethanol, dimethylsulfoxide, imidazole, dimethylthiourea, SOD, salicylate, proline, indoles, sulforaphane, polyphenols, citrate, cysteine and derivatives thereof.
- 12. (Original) The composition of claim 1, wherein the pH of the viscoelastic composition is a minimum of about 5 and a maximum of about 8.

13. - 39. (Canceled)

- 40. (currently amended) A package for a viscoelastic composition, the package comprising a syringe containing a viscoelastic composition comprising 0.6% w/v to 4% w/v of hyaluronic acid or a salt thereof and 0.1% w/v to 2% w/v of hydroxypropylmethyl cellulose, wherein the viscoelastic composition has a pseudoplasticity index from 160 to 5000 and a weight_ratio of hydroxypropylmethylcellulose to hyaluronic acid or a salt thereof from 0.1 to 1.
- 41. (previously presented) The package of claim 40, wherein the syringe has an outlet port, the package further comprising a cannula configured to sealably connect to the outlet port having a maximum inner diameter of 2 mm of 0.4 mm.
- 42. (previously presented) The package of claim 40, wherein viscoelastic composition requires a maximum force of 30 N to pass through a stainless steel cannula having a length of 2.2 cm and an inner diameter of 0.5 mm at a delivery rate of 0.02 ml/sec.

- 43. (Original) The package of claim 40, wherein the average molecular weight of the hyaluronic acid or a salt thereof is a minimum of about 1000kD and a maximum of about 3000kD.
- 44. (Original) The package of claim 40, wherein the average molecular weight of the hydroxypropylmethylcellulose is a minimum of about 12kD and a maximum of about 86kD.
- 45. (previously presented) The package of claim 40, wherein the viscoelastic composition comprises a minimum amount of about 1%w/v and a maximum amount of about 3%w/v, hyaluronic acid or a salt thereof.
- 46. (previously presented) The package of claim 40, wherein the viscoelastic composition has a minimum amount of about 0.3%w/v and a maximum amount of about 1%w/v hydroxypropylmethylcellulose.
- 47. (Original) The package of claim 40, wherein the osmolality of the viscoelastic composition is a minimum of about 200mOsmol/Kg and a maximum of about 400mOsmol/Kg.
- 48. (Original) The package of claim 40, wherein the zero-shear viscosity of the viscoleastic material is a minimum of about 8x10⁵ cps and a maximum of about 3.5x10⁶ cps.
- 49. (Original) The package of claim 40, wherein the medium-shear viscosity of the viscoelastic composition is a minimum of about 13000 and a maximum of about 25000.
- 50. (Original) The package of claim 40, wherein the high-shear viscosity of the viscoelastic composition is a minimum of about 700 and a maximum of about 1300.
- 51. (previously presented) The package of claim 40, wherein the viscoelastic composition has a crossover frequency of 0.1 or less.
- 52. (previously presented) The package of claim 40, wherein the viscoelastic composition further comprises a chemical scavenger selected from sorbitol or tris[hydroxymethyl] aminomethane.

53. (Original) The package of claim 40, wherein the pH of the viscoelastic composition is a minimum of about 6.5 and a maximum of about 7.5.

Claims 54. – 69. (canceled)

- 69. (previously presented) The composition of claim 1, wherein the viscoelastic composition further comprises a chemical scavenger selected from sorbitol or tris[hydroxymethyl] aminomethane.
- 70. (previously presented) The composition of claim 1, wherein the viscoelastic composition further comprises 1%w/v to 6%w/v sorbitol.
- (currently amended) The composition of claim 1, wherein the viscoelastic composition further comprises 1mM to 40 mM tris[hydroxymethyl] aminomethane.
 - 72. (canceled)
- 73. (previously presented) The package of claim 40, wherein the viscoelastic composition further comprises 1%w/v to 6%w/v sorbitol.
- 74. (currently amended) The package of claim 40, wherein the viscoelastic composition further comprises 1mM to 40 mM tris[hydroxymethyl] aminomethane.
- 75. (currently amended) The package of claim 73, wherein the viscoelastic composition further comprises 1mM to 40 mM tris[hydroxymethyl] aminomethane.